

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/764,572	01/18/2001	Eva Ackerman	041443-00752	6865
54487	7590 08/14/2006		EXAMINER	
JONES & SMITH, LLP THE RIVIANA BUILDING			PATEL, DHIRUBHAI R	
2777 ALLEN PARKWAY, SUITE 800			ART UNIT	PAPER NUMBER
HOUSTON, TX 77019-2141			2831	

DATE MAILED: 08/14/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

g

Page 2

Application/Control Number: 09/764,572

Art Unit: 2831

DETAILED ACTION

The reply brief filed on 7/21/060 has been entered.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DHIRU R. PATEL whose telephone number is 571-272-1983. The examiner can normally be reached on M-TH, 6:30 TO 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on 571-272-1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DHIRU R PATEL

8/7106

Primary Examiner
Art Unit 2831
